

MINIATURE

































THREDFLOERS
METRIC































| TAP SIZE | THREADS PER INCH | HOLE SIZE REQUIREMENT | | | TAP DRILL SIZE | BLANK | CHAMFER | COATING | CLASS UNM | |
|--------------|------------------|-----------------------|------------|------------|----------------|-------|---------|---------|-----------|-----------|
| | | 75% THREAD | 65% THREAD | 55% THREAD | | | | | H# | EDP# |
| 0.7mm X .175 | 145 | .0247 | .0250 | .0254 | #72 | ANSI | 2.5 | BRIGHT | 2 | 00802-000 |
| 0.8mm X .200 | 127 | .0280 | .0284 | .0288 | #70 | ANSI | 2.5 | BRIGHT | 2 | 00902-000 |
| 0.9mm X .225 | 113 | .0314 | .0319 | .0323 | 1/32 | ANSI | 2.5 | BRIGHT | 2 | 01002-000 |
| 1.0mm X .250 | 102 | .0348 | .0353 | .0358 | #65 | ANSI | 2.5 | BRIGHT | 2 | 01102-000 |
| 1.1mm X .250 | 102 | .0387 | .0392 | .0397 | #61 | ANSI | 2.5 | BRIGHT | 2 | 01202-000 |
| 1.2mm X .250 | 102 | .0427 | .0432 | .0437 | #58 | ANSI | 2.5 | BRIGHT | 2 | 01302-000 |
| 1.4mm X .300 | 85 | .0493 | .0499 | .0505 | 1.25mm | ANSI | 2.5 | BRIGHT | 2 | 01402-000 |

| TAP SIZE | IMAGE | SERIES | BLANK | CHAMFER | COATING | CLASS 4H | | CLASS 6H | | 6G OVERSIZE | |
|------------|-----------------|------------|---------|----------|-----------|-----------|-----------|-----------|-----------|-------------|-----------|
| | | | | | | D# | EDP# | D# | EDP# | D# | EDP# |
| M1.6 X .35 | | BOTTOM | ANSI | 2.5 | BRIGHT | 3 | 17003-010 | 5 | 17005-010 | 7 | 17007-010 |
| | | | | | TiN | 3 | 17003-01T | 5 | 17005-01T | 7 | 17007-01T |
| | | DIN | DIN371 | 2.5 | BRIGHT | 3 | 17023-010 | 5 | 17025-010 | | |
| | | | | | TiN | 3 | 17023-010 | 5 | 17025-010 | | |
| | | JIS | JIS | 2.5 | BRIGHT | 3 | 17043-010 | 5 | 17045-010 | | |
| | | M1.7 X .35 | | BOTTOM | ANSI | 2.5 | BRIGHT | 3 | 17143-010 | 5 | 17145-010 |
| TiN | 3 | | | | | | 17143-01T | 5 | 17145-01T | 7 | 17147-01T |
| DIN | DIN371 | | | 2.5 | BRIGHT | 3 | 17163-010 | 5 | 17165-010 | | |
| | | | | | TiN | 3 | 17163-010 | 5 | 17165-010 | | |
| JIS | JIS | | | 2.5 | BRIGHT | 3 | 17183-010 | 5 | 17185-010 | | |
| M2 X .4 | | | | BOTTOM | ANSI | 2.5 | BRIGHT | 3 | 17283-010 | 5 | 17285-010 |
| | | TiN | 3 | | | | 17283-01T | 5 | 17285-01T | 7 | 17287-01T |
| | | OTL | ANSI | 1.5 | BRIGHT | 3 | 17353-010 | 5 | 17355-010 | | |
| | | STI | #4 ANSI | 2.5 | BRIGHT | 2 | 17342-010 | 3 | 17343-010 | | |
| | | DIN | DIN371 | 2.5 | BRIGHT | 3 | 17303-010 | 5 | 17305-010 | | |
| | | | | | TiN | 3 | 17303-01T | 5 | 17305-01T | | |
| JIS | JIS | 2.5 | BRIGHT | 3 | 17323-010 | 5 | 17325-010 | | | | |
| M2.5 X .45 | | BOTTOM | ANSI | 2.5 | BRIGHT | 3 | 17423-010 | 6 | 17426-010 | 8 | 17428-010 |
| | | | | | TiN | 3 | 17423-01T | 6 | 17426-01T | 8 | 17428-01T |
| | | OTL | ANSI | 1.5 | BRIGHT | 3 | 17493-010 | 6 | 17496-010 | | |
| | | STI | #5 ANSI | 2.5 | BRIGHT | 2 | 17482-010 | 3 | 17483-010 | | |
| | | DIN | DIN371 | 2.5 | BRIGHT | 3 | 17443-010 | 6 | 17446-010 | | |
| | | | | | TiN | 3 | 17443-01T | 6 | 17446-01T | | |
| JIS | JIS | 2.5 | BRIGHT | 3 | 17463-010 | 6 | 17466-010 | | | | |
| M2.6 X .45 | | BOTTOM | ANSI | 2.5 | BRIGHT | 3 | 17513-010 | 6 | 17516-010 | | |
| | | | | | TiN | 3 | 17513-01T | 6 | 17516-01T | | |
| M3 X .5 | | BOTTOM | ANSI | 2.5 | BRIGHT | 3 | 17563-010 | 6 | 17566-010 | 8 | 17568-010 |
| | | | | | TiN | 3 | 17563-01T | 6 | 17566-01T | 8 | 17568-01T |
| | OTL | ANSI | 1.5 | BRIGHT | 3 | 17583-010 | 6 | 17586-010 | | | |
| | HP | ANSI | 2.5 | BRIGHT | 3 | 17673-010 | 6 | 17676-010 | | | |
| | *DIECAST (HP) | ANSI | 2.5 | BAL-PLUS | ** | 6 | 17676-81L | | | | |
| | | | | 1.5 | BAL-PLUS | ** | 6 | 17586-81L | | | |
| | *STEEL (HP) | ANSI | 2.5 | TiCN | ** | 6 | 17676-81C | | | | |
| | | | | 1.5 | TiCN | ** | 6 | 17586-81C | | | |
| | *STAINLESS (HP) | ANSI | 2.5 | STiN | ** | 6 | 17676-81U | | | | |
| | | | | 1.5 | STiN | ** | 6 | 17586-81U | | | |
| | EXTENSION | 3" OAL | 2.5 | BRIGHT | 3 | 17593-000 | 6 | 17596-000 | | | |
| | | | | 4" OAL | 2.5 | BRIGHT | 3 | 17603-000 | 6 | 17606-000 | |
| | STI | #8 ANSI | 2.5 | BRIGHT | 2 | 17662-010 | 3 | 17663-010 | | | |
| | DIN | DIN371 | 2.5 | BRIGHT | 3 | 17623-010 | 6 | 17626-010 | | | |
| TiN | | | | 3 | 17623-01T | 6 | 17626-01T | | | | |
| JIS | JIS | 2.5 | BRIGHT | 3 | 17643-010 | 6 | 17646-010 | | | | |

































*RED INDICATES COATED TAPS IN-STOCK

| TAP SIZE | IMAGE | SERIES | BLANK | CHAMFER | COATING | 4H | | 6H | | 6G OVERSIZE | | |
|---|---|---------------|----------|---------|----------|-----------|-----------|-----------|-----------|-------------|-----------|--|
| | | | | | | D# | EDP# | D# | EDP# | D# | EDP# | |
| M3.5 X .6 |  | BOTTOM | ANSI CNC | 2.5 | BRIGHT | 4 | 17744-010 | 7 | 17747-010 | 9 | 17749-010 | |
| | | | | | TiN | 4 | 17744-01T | 7 | 17747-01T | 9 | 17749-01T | |
| |  | PLUG | ANSI CNC | 4 | BRIGHT | 4 | 17764-000 | 7 | 17767-000 | | | |
| | | | | | TiN | 4 | 17764-00T | 7 | 17767-00T | | | |
| |  | OTL | ANSI CNC | 1.5 | BRIGHT | 4 | 17784-010 | 7 | 17787-010 | | | |
| | | | | | | | | | | | | |
| |  | HP | ANSI CNC | 2.5 | BRIGHT | 4 | 17874-010 | 7 | 17877-010 | | | |
| | | | | | | | | | | | | |
| |  | *DIECAST (HP) | ANSI CNC | 2.5 | BAL-PLUS | | ** | 7 | 17877-81L | | | |
| | | | | | 1.5 | BAL-PLUS | | ** | 7 | 17877-81L | | |
| | | | | | 2.5 | TiCN | | ** | 7 | 17877-81C | | |
| | | | | | | TiCN | | ** | 7 | 17877-81C | | |
| |  | *STEEL (HP) | ANSI CNC | 2.5 | STiN | | ** | 7 | 17877-81U | | | |
| 1.5 | | | | | STiN | | ** | 7 | 17877-81U | | | |
|  | EXTENSION | 3" OAL | 2.5 | BRIGHT | 4 | 17794-000 | 7 | 17797-000 | | | | |
| | | | | 4" OAL | 2.5 | BRIGHT | 4 | 17804-000 | 7 | 17807-000 | | |
|  | STI | #10 ANSI | 2.5 | BRIGHT | 3 | 17863-010 | 4 | 17864-010 | | | | |
| | | | | | | | | | | | | |
|  | DIN | DIN371 | 2.5 | BRIGHT | 4 | 17824-010 | 7 | 17827-010 | | | | |
| | | | | TiN | 4 | 17824-01T | 7 | 17827-01T | | | | |
|  | JIS | JIS | 2.5 | BRIGHT | 4 | 17844-010 | 7 | 17847-010 | | | | |
| | | | | | | | | | | | | |
| M4 X .7 |  | BOTTOM | ANSI CNC | 2.5 | BRIGHT | 4 | 17944-010 | 7 | 17947-010 | 9 | 17949-010 | |
| | | | | | TiN | 4 | 17944-01T | 7 | 17947-01T | 9 | 17949-01T | |
| |  | PLUG | ANSI CNC | 4 | BRIGHT | 4 | 17964-000 | 7 | 17967-000 | | | |
| | | | | | TiN | 4 | 17964-00T | 7 | 17967-00T | | | |
| |  | OTL | ANSI CNC | 1.5 | BRIGHT | 4 | 17984-010 | 7 | 17987-010 | | | |
| | | | | | | | | | | | | |
| |  | HP | ANSI CNC | 2.5 | BRIGHT | 4 | 18074-010 | 7 | 18077-010 | | | |
| | | | | | | | | | | | | |
| |  | *DIECAST (HP) | ANSI CNC | 2.5 | BAL-PLUS | | ** | 7 | 18077-81L | | | |
| | | | | | 1.5 | BAL-PLUS | | ** | 7 | 17987-81L | | |
| | | | | | 2.5 | TiCN | | ** | 7 | 18077-81C | | |
| | | | | | | TiCN | | ** | 7 | 17987-81C | | |
| |  | *STEEL (HP) | ANSI CNC | 2.5 | STiN | | ** | 7 | 18077-81U | | | |
| 1.5 | | | | | STiN | | ** | 7 | 17987-81U | | | |
|  | EXTENSION | 3" OAL | 2.5 | BRIGHT | 4 | 17994-000 | 7 | 17997-000 | | | | |
| | | | | 4" OAL | 2.5 | BRIGHT | 4 | 18004-000 | 7 | 18007-000 | | |
|  | STI | #10 ANSI | 2.5 | BRIGHT | 3 | 18063-010 | 4 | 18064-010 | | | | |
| | | | | | | | | | | | | |
|  | DIN | DIN371 | 2.5 | BRIGHT | 4 | 18024-010 | 7 | 18027-010 | | | | |
| | | | | TiN | 4 | 18024-01T | 7 | 18027-01T | | | | |
|  | JIS | JIS | 2.5 | BRIGHT | 4 | 18044-010 | 7 | 18047-010 | | | | |
| | | | | | | | | | | | | |
| M5 X .8 |  | BOTTOM | ANSI CNC | 2.5 | BRIGHT | 4 | 18144-010 | 8 | 18148-010 | 10 | 18150-010 | |
| | | | | | TiN | 4 | 18144-01T | 8 | 18148-01T | 10 | 18150-01T | |
| |  | PLUG | ANSI CNC | 4 | BRIGHT | 4 | 18164-000 | 8 | 18168-000 | | | |
| | | | | | TiN | 4 | 18164-00T | 8 | 18168-00T | | | |
| |  | OTL | ANSI CNC | 1.5 | BRIGHT | 4 | 18184-010 | 8 | 18188-010 | | | |
| | | | | | | | | | | | | |
| |  | HP | ANSI CNC | 2.5 | BRIGHT | 4 | 18274-010 | 8 | 18278-010 | | | |
| | | | | | | | | | | | | |
| |  | *DIECAST (HP) | ANSI CNC | 2.5 | BAL-PLUS | | ** | 8 | 18278-91L | | | |
| | | | | | 1.5 | BAL-PLUS | | ** | 8 | 18188-91L | | |
| | | | | | 2.5 | TiCN | | ** | 8 | 18278-91C | | |
| | | | | | | TiCN | | ** | 8 | 18188-91C | | |
| |  | *STEEL (HP) | ANSI CNC | 2.5 | STiN | | ** | 8 | 18278-91U | | | |
| 1.5 | | | | | STiN | | ** | 8 | 18188-91U | | | |
|  | EXTENSION | 4" OAL | 2.5 | BRIGHT | 4 | 18204-000 | 8 | 18208-000 | | | | |
| | | | | 6" OAL | 2.5 | BRIGHT | 4 | 18214-000 | 8 | 18218-000 | | |
|  | STI | 1/4 ANSI | 2.5 | BRIGHT | 3 | 18263-010 | 4 | 18264-010 | | | | |
| | | | | | | | | | | | | |
|  | DIN | DIN371 | 2.5 | BRIGHT | 4 | 18224-010 | 8 | 18228-010 | | | | |
| | | | | TiN | 4 | 18224-01T | 8 | 18228-01T | | | | |
|  | JIS | JIS | 2.5 | BRIGHT | 4 | 18244-010 | 8 | 18248-010 | | | | |
| | | | | | | | | | | | | |

THREDFLOERS
METRIC

| TAP SIZE | IMAGE | SERIES | BLANK | CHAMFER | COATING | 4H | | 6H | | 6G OVERSIZE | |
|---|---|-----------------|----------|---------|----------|-----------|-----------|-----------|-----------|-------------|-----------|
| | | | | | | D# | EDP# | D# | EDP# | D# | EDP# |
| M6 X 1.0 |  | BOTTOM | ANSI CNC | 2.5 | BRIGHT | 5 | 18345-010 | 9 | 18349-010 | 11 | 18351-010 |
| | | | | | TiN | 5 | 18345-01T | 9 | 18349-01T | 11 | 18351-01T |
| |  | PLUG | ANSI CNC | 4 | BRIGHT | 5 | 18365-000 | 9 | 18369-000 | | |
| | | | | | TiN | 5 | 18365-00T | 9 | 18369-00T | | |
| |  | OTL | ANSI CNC | 1.5 | BRIGHT | 5 | 18385-010 | 9 | 18389-010 | | |
| |  | HP (B) | ANSI CNC | 2.5 | BRIGHT | 5 | 18475-010 | 9 | 18479-010 | | |
| |  | HP (P) | ANSI CNC | 4 | BRIGHT | | ** | 9 | 18519-000 | | |
| |  | *DIECAST (HP) | ANSI CNC | 2.5 | BAL-PLUS | | ** | 9 | 18479-91L | | |
| | | | | 1.5 | BAL-PLUS | | ** | 9 | 18389-91L | | |
| |  | *STEEL (HP) | ANSI CNC | 2.5 | TiCN | | ** | 9 | 18479-91C | | |
| | | | | 1.5 | TiCN | | ** | 9 | 18389-91C | | |
| |  | *STAINLESS (HP) | ANSI CNC | 2.5 | STiN | | ** | 9 | 18479-91U | | |
| | | | | 1.5 | STiN | | ** | 9 | 18389-91U | | |
| |  | EXTENSION | 4" OAL | 2.5 | BRIGHT | 5 | 18405-000 | 9 | 18409-000 | | |
| 6" OAL | | | 2.5 | BRIGHT | 5 | 18415-000 | 9 | 18419-000 | | | |
|  | STI | 5/16 ANSI | 2.5 | BRIGHT | 4 | 18464-010 | 5 | 18465-010 | | | |
|  | DIN | DIN371 | 2.5 | BRIGHT | 5 | 18425-010 | 9 | 18429-010 | | | |
| | | | | TiN | 5 | 18425-01T | 9 | 18429-01T | | | |
|  | JIS | JIS | 2.5 | BRIGHT | 5 | 18445-010 | 9 | 18449-010 | | | |
| M8 X 1.25 |  | BOTTOM | ANSI CNC | 2.5 | BRIGHT | 5 | 18545-010 | 10 | 18550-010 | 12 | 18562-010 |
| | | | | | TiN | 5 | 18545-01T | 10 | 18550-01T | 12 | 18562-01T |
| |  | PLUG | ANSI CNC | 4 | BRIGHT | 5 | 18565-000 | 10 | 18570-000 | | |
| | | | | | TiN | 5 | 18565-00T | 10 | 18570-00T | | |
| |  | OTL | ANSI CNC | 1.5 | BRIGHT | 5 | 18585-010 | 10 | 18590-010 | | |
| |  | HP (B) | ANSI CNC | 2.5 | BRIGHT | 5 | 18675-010 | 10 | 18680-010 | | |
| |  | HP (P) | ANSI CNC | 4 | BRIGHT | | ** | 10 | 18710-000 | | |
| |  | *DIECAST (HP) | ANSI CNC | 2.5 | BAL-PLUS | | ** | 10 | 18680-91L | | |
| | | | | 1.5 | BAL-PLUS | | ** | 10 | 18590-91L | | |
| |  | *STEEL (HP) | ANSI CNC | 2.5 | TiCN | | ** | 10 | 18680-91C | | |
| | | | | 1.5 | TiCN | | ** | 10 | 18590-91C | | |
| |  | *STAINLESS (HP) | ANSI CNC | 2.5 | STiN | | ** | 10 | 18680-91U | | |
| | | | | 1.5 | STiN | | ** | 10 | 18590-91U | | |
| |  | EXTENSION | 4" OAL | 2.5 | BRIGHT | 5 | 18595-000 | 10 | 18600-000 | | |
| 6" OAL | | | 2.5 | BRIGHT | 5 | 18605-000 | 10 | 18610-000 | | | |
|  | STI | 3/8 ANSI | 2.5 | BRIGHT | 5 | 18665-010 | 6 | 18666-010 | | | |
|  | DIN | DIN371 | 2.5 | BRIGHT | 5 | 18625-010 | 10 | 18630-010 | | | |
| | | | | TiN | 5 | 18625-01T | 10 | 18630-01T | | | |
|  | JIS | JIS | 2.5 | BRIGHT | 5 | 18645-010 | 10 | 18650-010 | | | |
| M10 X 1.0 |  | BOTTOM | ANSI CNC | 2.5 | BRIGHT | | | 9 | 19429-010 | | |
| | | | | | TiN | | | 9 | 19429-01T | | |
| M10 X 1.25 |  | BOTTOM | ANSI CNC | 2.5 | BRIGHT | | | 10 | 19450-010 | | |
| | | | | | TiN | | | 10 | 19450-01T | | |
| M10 X 1.5 |  | BOTTOM | ANSI CNC | 2.5 | BRIGHT | 6 | 18746-010 | 11 | 18751-010 | 13 | 18753-010 |
| | | | | | TiN | 6 | 18746-01T | 11 | 18751-01T | 13 | 18753-01T |
| |  | PLUG | ANSI CNC | 4 | BRIGHT | 6 | 18766-000 | 11 | 18771-000 | | |
| | | | | | TiN | 6 | 18766-00T | 11 | 18771-00T | | |
|  | OTL | ANSI CNC | 1.5 | BRIGHT | 6 | 18786-010 | 11 | 18791-010 | | | |
|  | HP (B) | ANSI CNC | 2.5 | BRIGHT | 6 | 18856-010 | 11 | 18861-010 | | | |

*RED INDICATES COATED TAPS IN-STOCK

| TAP SIZE | IMAGE | SERIES | BLANK | CHAMFER | COATING | 4H | | 6H | | |
|---|---|-----------------|----------|-----------|--|-----------|---|-----------|-----------|-----------|
| | | | | | | D# | EDP# | D# | EDP# | |
| M10 X 1.5 CONT. |  | HP (P) | ANSI CNC | 4 | BRIGHT | | ** | 11 | 18891-000 | |
| |  | *DIECAST (HP) | ANSI CNC | 2.5 | BAL-PLUS | | ** | 11 | 18861-91L | |
| |  | | | 1.5 | BAL-PLUS | | ** | 11 | 18791-91L | |
| |  | *STEEL (HP) | ANSI CNC | 2.5 | TICN | | ** | 11 | 18861-91C | |
| |  | | | 1.5 | TICN | | ** | 11 | 18791-91C | |
| |  | *STAINLESS (HP) | ANSI CNC | 2.5 | STiN | | ** | 11 | 18861-91U | |
| |  | | | 1.5 | STiN | | ** | 11 | 18791-91U | |
| |  | EXTENSION | | 4" OAL | 2.5 | BRIGHT | 6 | 18796-000 | 11 | 18801-000 |
| |  | | | | | | 6" OAL | 2.5 | BRIGHT | 6 |
| |  | DIN | DIN371 | 2.5 | BRIGHT | 6 | 18826-000 | 11 | 18831-000 | |
|  | TiN | | | | | 6 | 18826-00T | 11 | 18831-00T | |
|  | JIS | JIS | 2.5 | BRIGHT | 6 | 18846-010 | 11 | 18851-010 | | |
| M12 X 1.75 |  | BOTTOM | ANSI | 2.5 | BRIGHT | 6 | 18946-000 | 12 | 18952-000 | |
| | | | | | TiN | 6 | 18946-40T | 12 | 18952-40T | |
| |  | PLUG | ANSI | 4 | BRIGHT | 6 | 18966-000 | 12 | 18972-000 | |
| | | | | | TiN | 6 | 18966-40T | 12 | 18972-40T | |
| |  | OTL | ANSI | 1.5 | BRIGHT | 6 | 18986-000 | 12 | 18992-000 | |
| | | | | |  | HP (B) | ANSI | 2.5 | BRIGHT | 6 |
| |  | HP (P) | ANSI | 4 | BRIGHT | | ** | 12 | 19092-000 | |
| |  | *DIECAST (HP) | ANSI | 2.5 | BAL-PLUS | | ** | 12 | 19062-90L | |
| | | | | | 1.5 | BAL-PLUS | | ** | 12 | 18992-90L |
| |  | *STEEL (HP) | ANSI | 2.5 | TICN | | ** | 12 | 19062-90C | |
| | | | | | 1.5 | TICN | | ** | 12 | 18992-90C |
| |  | *STAINLESS (HP) | ANSI | 2.5 | STiN | | ** | 12 | 19062-90U | |
| | | | | | 1.5 | STiN | | ** | 12 | 18992-90U |
| |  | EXTENSION | | 4" OAL | 2.5 | BRIGHT | 6 | 18996-000 | 12 | 19002-000 |
| | | | | | | |  | 6" OAL | 2.5 | BRIGHT |
| |  | DIN | DIN371 | 2.5 | BRIGHT | 6 | 19026-000 | 12 | 19032-000 | |
|  | | | | | DIN | DIN376 | 2.5 | BRIGHT | | 12 |
|  | TiN | | 12 | 19042-40T | | | | | | |
|  | JIS | JIS | 2.5 | BRIGHT | 6 | 19046-000 | 12 | 19052-000 | | |
| M14 X 1.25 |  | PLUG | ANSI | 4 | BRIGHT | 5 | 19095-000 | 10 | 19100-000 | |
| | | | | | TiN | 5 | 19095-60T | 10 | 19100-60T | |
| M14 X 1.5 |  | BOTTOM | ANSI | 2.5 | BRIGHT | 6 | 19106-000 | 11 | 19111-000 | |
| | | | | | TiN | 6 | 19106-60T | 11 | 19111-60T | |
| | | PLUG | ANSI | 4 | BRIGHT | 6 | 19126-000 | 11 | 19131-000 | |
| | | | | | TiN | 6 | 19126-60T | 11 | 19131-60T | |
| M14 X 2.0 |  | BOTTOM | ANSI | 2.5 | BRIGHT | 7 | 19147-000 | 14 | 19154-000 | |
| | | | | | TiN | 7 | 19147-60T | 14 | 19154-60T | |
| | | PLUG | ANSI | 4 | BRIGHT | 7 | 19167-000 | 14 | 19174-000 | |
| | | | | | TiN | 7 | 19167-60T | 14 | 19174-60T | |
| M16 X 1.5 |  | BOTTOM | ANSI | 2.5 | BRIGHT | 6 | 19226-000 | 11 | 19231-000 | |
| | | | | | TiN | 6 | 19226-60T | 11 | 19231-60T | |
| | | PLUG | ANSI | 4 | BRIGHT | 6 | 19246-000 | 11 | 19251-000 | |
| | | | | | TiN | 6 | 19246-60T | 11 | 19251-60T | |
| M16 X 2.0 |  | BOTTOM | ANSI | 2.5 | BRIGHT | 7 | 19267-000 | 14 | 19274-000 | |
| | | | | | TiN | 7 | 19267-60T | 14 | 19274-60T | |
| | | PLUG | ANSI | 4 | BRIGHT | 7 | 19287-000 | 14 | 19294-000 | |
| | | | | | TiN | 7 | 19287-60T | 14 | 19294-60T | |
| M18 X 1.5 |  | BOTTOM | ANSI | 2.5 | BRIGHT | 6 | 19306-000 | 11 | 19331-000 | |
| | | | | | TiN | 6 | 19306-60T | 11 | 19331-60T | |
| | | PLUG | ANSI | 4 | BRIGHT | 6 | 19326-000 | 11 | 19311-000 | |
| | | | | | TiN | 6 | 19326-60T | 11 | 19311-60T | |

*RED INDICATES COATED TAPS IN-STOCK

* Highlighted products are premium quality taps that are targeted to specific industry needs